



Material Safety Data Sheet

Section 1

PRODUCT & COMPANY IDENTIFICATION

Product Name: WallStain™
Manufacturer's Name: NewLook International, Inc.
Manufacturer's Address: 1525 South Gladiola Street, Suite 8, Salt Lake City, UT 84104
Information Phone: NewLook International, Inc. 877.763.9566 or 801.886.9495
Emergency Contact: For Emergency information, contact ChemTel, Inc. at 800.255.3924, Outside the USA at 813.248.0585

Section 2

HAZARDOUS INGREDIENTS

INGREDIENT	CAS NUMBER	WEIGHT %	OSHA PEL	VAPOR (mm/hg)	PRESSURE @ TEMP
Silicon Dioxide	112926-0-8	<5.0%	PEL:6mg/m3 TLV: 10mg/m3	0.0	68°F (20°C)
Diethylene Glycol Monoethyl Ether	111-77-3	<5.0%	30 ppm : PEL	0.1	68°F (20°C)
Triethanolmine	102-71-6	<5.0%	None Established	0.0	68°F (20°C)

Section 3

PHYSICAL DATA

Boiling Range: >200°F
Evaporation Rate: Slower than Ether
Vapor Density: Lighter than Air
% Volatile Volume: 69.02 Weight/Gal: 9.32
VOC: 250 G/L

Section 4

FIRE & EXPLOSION HAZARD DATA

Flammability Classification:
Flash Point: >200°F
Lower Explosive Limit: 0.6
Extinguishing Media: Alcohol Foam, CO²
Unusual Fire and Explosion Hazards:
 Closed containers may burst if exposed to extreme heat or fire.
Special Firefighting Procedures:
 Water may be used to cool and protect exposed containers.

Section 5

HEALTH & HAZARD DATA

Effects of Overexposure:
 Light-headedness, dizziness, symptoms similar to alcohol inebriation.
 High concentrations can have narcotic effect.
Medical Conditions Proven to Aggravate by Exposure:
 Asthma, Bronchitis, Dermatitis
Primary Routes of Entry: Dermal, Inhalation, Ingestion
Emergency and First Aid Procedure:
 Inhalation: Remove person to uncontaminated area, administer oxygen if necessary.
 Skin contact: Wash thoroughly with soap and water.
 Eyes: Flush eyes thoroughly with water for 15 minutes and get immediate medical attention.
 Ingestion: If conscious, give plenty of water to drink. Do not induce vomiting. Call a physician.

Section 6**REACTIVITY DATA**

Stability:	Stable
Hazardous Polymerization:	Will Not Occur
Hazardous Decomposition Products:	Carbon Monoxide, Carbon Dioxide
Conditions to Avoid:	Elevated temperatures, contact with oxidizing agent
Incompatibility (Materials to Avoid):	Oxidizing agents

Section 7**SPILL OR LEAK PROCEDURES**

Steps to be taken if material is released or spilled:	Absorb with Absorbent Sweeping Compound and Dispose.
Waste Disposal Method:	Dispose in accordance with Federal, State, and Local Environmental Regulations.

Section 8**SAFE HANDLING AND USE INFORMATION**

Respiratory Protection:	When spraying use NIOSH approved respirator.
Ventilation:	Use ventilation as required to control vapor concentrations.
Protective Gloves:	Chemical resistant rubber or plastic gloves.
Eye Protection:	Safety shield, goggles, or glasses.
Other Protective Equipment:	Not required under normal use.
Hygienic Practices:	Wear protective gloves and glasses. Wash hands thoroughly after use.

Section 9**PRECAUTIONS****Precautions to be taken in handling and storing:**

- Store indoors in a cool, dry place.
- Avoid moisture contamination.
- Do not allow product to freeze.

Other Precautions:

- Wash hands thoroughly after use and before eating or smoking.
- Avoid prolonged breathing of vapors.
- Use with adequate ventilation.
- Avoid contact with skin and clothing.
- If contact occurs, wash affected areas thoroughly with soap and water.