NewLook International, Inc. WallStain Translucent™



Material Safety Data Sheet

Section 1

PRODUCT & COMPANY IDENTIFICATION

Product Name: WallStain Translucent™ Manufacturer's Name: NewLook International, Inc.

Manufacturer's Address: 1525 South Gladiola Street, Suite 8, Salt Lake City, UT 84104 Information Phone: NewLook International, Inc. 877.763.9566 or 801.886.9495

Emergency Contact: For Emergency information, contact ChemTel, Inc. at 800.255.3924, Outside the USA at 813.248.0585

Section 2 HAZARDOUS INGREDIENTS

INGREDIENT	CAS NUMBER	WEIGHT %	OSHA PEL	VAPOR (mm/hg)	PRESSURE @ TEMP
Silicon Dioxide	112926-0-8	<5.0%	PEL:6mg/m3 TLV: 10mg/m3	0.0	68°F (20°C)
Diethylene Glycol Monoethyl Ether	111-77-3	<5.0%	30 ppm : PEL	0.1	68°F (20°C)
Triethanolmine	102-71-6	<5.0%	None Established	0.0	68°F (20°C)

Section 3 PHYSICAL DATA

Boiling Range: >200°F

Evaporation Rate: Slower than Ether
Vapor Density: Lighter than Air
% Volatile Volume: 69.02 Weight/Gal: 9.32

VOC: 250 G/L

Section 4

FIRE & EXPLOSION HAZARD DATA

Flammability Classification:

Flash Point: >200∘F Lower Explosive Limit: 0.6

Extinguishing Media: Alcohol Foam, CO²

Unusual Fire and Explosion Hazards:

Closed containers may burst if exposed to extreme heat or fire.

Special Firefighting Procedures:

Water may be used to cool and protect exposed containers.

Section 5

HEALTH & HAZARD DATA

Effects of Overexposure:

Light-headedness, dizziness, symptoms similar to alcohol inebriation.

High concentrations can have narcotic effect.

Medical Conditions Proven to Aggravate by Exposure:

Asthma, Bronchitis, Dermatitis

Primary Routes of Entry: Dermal, Inhalation, Ingestion

Emergency and First Aid Procedure:

Inhalation: Remove person to uncontaminated area, administer oxygen if necessary.

Skin contact: Wash thoroughly with soap and water.

©2011 NewLook International, Inc. a All Rights Reserved

Eyes: Flush eyes thoroughly with water for 15 minutes and get immediate medical attention. Ingestion: If conscious, give plenty of water to drink. Do not induce vomiting. Call a physician.

Section 6

REACTIVITY DATA

Stability: Stable
Hazardous Polymerization: Will Not Occur

Hazardous Decomposition Products: Carbon Monoxide, Carbon Dioxide

Conditions to Avoid: Elevated temperatures, contact with oxidizing agent

Incompatibility (Materials to Avoid): Oxidizing agents

Section 7

SPILL OR LEAK PROCEDURES

Steps to be taken if material is released or spilled: Absorb with Absorbent Sweeping Compound and Dispose.

Waste Disposal Method: Dispose in accordance with Federal, State, and Local Environmental Regulations.

Section 8

SAFE HANDLING AND USE INFORMATION

Respiratory Protection: When spraying use NIOSH approved respirator.

Ventilation: Use ventilation as required to control vapor concentrations.

Protective Gloves: Chemical resistant rubber or plastic gloves.

Eye Protection: Safety shield, goggles, or glasses.

Other Protective Equipment: Not required under normal use.

Hygienic Practices: Wear protective gloves and glasses. Wash hands thoroughly after use.

Section 9 PRECAUTIONS

Precautions to be taken in handling and storing:

- Store indoors in a cool, dry place.
- Avoid moisture contamination.
- Do not allow product to freeze.

Other Precautions:

- Wash hands thoroughly after use and before eating or smoking.
- Avoid prolonged breathing of vapors.
- Use with adequate ventilation.
- Avoid contact with skin and clothing.
- If contact occurs, wash affected areas thoroughly with soap and water.